

# Anacline™

## Description:

Anacline™ is specifically designed to provide the appropriate foundational archetypal balances to encourage optimal health.

## Indications: Anabolism

**Clinical Biochemistry:** See introduction.

## Precautions, Adverse Reactions, Contraindications:

Digestive upset or diarrhea may result if over consumed or not gradually introduced. Do not use for pregnant or nursing animals.

## Ingredients:

Beef, Beef Liver, Chicken, Chicken Liver, Ground Beef and Chicken Bone, Fish Oil, Coconut Oil, Citrus Aurantium, L-glutamine, L-Carnitine, Valine, Leucine, Isoleucine, Octacosanol, Dried Plasma, Milk Calcium, Plums, Lactoferrin, Lactoperoxidase, Barley Grass, Wheat Grass, Desiccated Sea Plankton, Artichoke, Amylase, Protease, Lipase, Cellulase, Dried Enterococcus faecium Fermentation Product, Dried Lactobacillus plantarum Fermentation Product, Dried Lactobacillus acidophilus Fermentation Product, Dried Lactobacillus casei Fermentation Product, Dried Lactobacillus lactis Fermentation Product, Dried Saccharomyces cerevisiae Fermentation Product, Dried Aspergillus oryzae Fermentation Product, Dried Aspergillus niger Fermentation Product, Phytase, Natural Extractives of Rosemary, Natural Extractives of Sage, Choline Chloride, Ascorbic Acid, Zinc Proteinate, Iron Proteinate, Vitamin E Supplement, Niacin Supplement, Manganese Proteinate, Calcium Pantothenate, Thiamine Mononitrate, Copper Proteinate, Pyridoxine Hydrochloride, Riboflavin Supplement, Vitamin A Acetate, Folic Acid, Biotin, Vitamin B<sub>12</sub> Supplement, Vitamin D<sub>3</sub> Supplement.

**Analysis:** Protein 50.0%, Fat 28%, Fiber 2.8%, Moisture 3.0%

## References:

Astrup A, et al. Pharmacology of thermogenic drugs. *Am J Clin Nutr.* 55:2465-2485. 1992.; Bach A, et al. Medium chain triglycerides – an update. *Am J Clin Nutr.* 36:950-962. 1982.; Borg BS, et al. Evaluation of the chemical and biological characteristics of spray-dried plasma protein collected from various locations around the world. Proceedings of the American Association of Swine Vet. 2002.; Borg BS, et al. Effects of a water-soluble plasma protein product on weaning pig performance and health with and without *Escherichia coli* challenge. Proceedings of the Allen D. Leman Swine Conf. 26:23-24. 1999.; Bosi PI, et al. Effect of different spray-dried plasmas on growth, ileal digestibility, nutrient deposition, and immunity and health of early-weaned pigs challenged with *E. coli* K88. *Asian-Aus. J Anim Sci.* 14:1138-1143. 2001.; Broaca C, et al. Mitochondria-derived glutamate at the interplay between branched-chain amino acid and glucose-induced insulin secretion. *FEBS Lett.* 545(2-3):167-172. 2003.; Bulus N, et al. Physiologic importance of glutamine. *Metabolism.* 38(Suppl 1):1-5. 1989.; Clarkson P. Nutritional ergogenic aids: carnitine. *Intl J Sports Nutr.* 2:185-190. 1992.; Coffey, et al. The impact of environment and antimicrobial agents on the growth response of early-weaned pigs to spray-dried porcine plasma. *J Anim Sci.* 73:2532-2539. 1995.; Cureton T, et al. Effects of an octanoic dietary supplement upon the total vertical jump reaction time. *Physical Fitness Research Laboratory.* Univ. of Illinois. 1965.; Fogelholm M. Dairy products, meat, and sports performance. *Sports Med.* 33(8):615-631. 2003.; Furukawa S, et al. Supplemental glutamine augments phagocytosis and reactive oxygen intermediate production by neutrophils and monocytes from postoperative patients *in vitro*. *Nutrition.* 16:323-329. 2000.; Gatnau RJ, et al. Plasma (Appetin®) as an alternative to antimicrobial usage in weaning pigs. Proceedings of the EAAP 51<sup>st</sup> Annual Meeting (The Hague). Paper P5.5, p 343.; Hamosh M, et al. Gastric lipolysis and fat absorption in preterm infant: Effect of medium-chain triglycerides or long-chain triglyceride-containing formulas. *Pediatrics.* 83(1):86-92. 1989.; Hedrei P, et al. Thermogenic effect of beta-sympathomimetic compounds extracted from citrus aurantium, in humans. Springborn Laboratories, Inc. Spencerville, OH. 1997.; Houdijk APJ, et al. Randomized trial of glutamine-enriched enteral nutrition on infectious morbidity in patients with multiple trauma. *Lancet.* 352:772-776. 1998.; Huertas R, et al. Respiratory chain enzymes in muscle of endurance athletes: effect of L-carnitine. *Biochemical and Biophysical Research Communications.* 188:102-106. 1992.; Illinois Dairy Report. "Antimicrobial Proteins in Milk." 1996.; Jepson M, et al. Relationships between glutamine concentration and protein synthesis in rat skeletal muscle. *Am J Physiol.* 255:E166. 1988.; Kadowaki M, et al. Amino acids as regulators of proteolysis. *J Nutr.* 133(6):2052S-2046S. 2003.; Kitajima H, et al. Effect of dietary amino acids on behavior and serum levels of amino acids in stress loaded rats. *J Nutr Sci Vitaminol (Tokyo).* 48(3):194-200. 2002.; Layman DK. Role of leucine in protein metabolism during exercise and recovery. *Can J Appl Physiol.* 27(6):646-663. 2002.; Luts W. The carbohydrate theory. *Wien Med Wochenschr.* 144(16):387-392. 1994.; Jiang RX, et al. Dietary plasma protein reduces small intestinal growth and lamina propria cell density in early-weaned pigs. *J Nutr.* 130:21-26. 2000.; MacLennan P, et al. A positive relationship between protein synthetic rate and intracellular glutamine concentration in perfused rat skeletal muscle. *FEBS Lett.* 215:187. 1987.; Meister A. Metabolism of glutamine. *Physiol Rev.* 36:103. 1956.; Morrill JL, et al. Plasma proteins and a probiotic as ingredients in milk replacer. *J Dairy Sci.* 78:902-907. 1995.; Nollet, et al. Protection of just weaned pigs against infection with F18+ *Escherichia coli* by non-immune plasma powder. *Vet Microbiol.* 65:37-45. 1999.; Nollet H, et al. The use of non-immune plasma powder in the prophylaxis of neonatal *Escherichia coli* diarrhea in calves. *J Vet Med.* 46:185-196. 1999.; Park KGM, et al. Stimulation of lymphocyte natural cytotoxicity by L-arginine. *Lancet.* 337:645-646. 1991.; Pellati F, et al. Determination of adrenergic agonists from extracts and herbal products of Citrus aurantium L. var amara by LC. *J Pharm Biomed Anal.* 29(6):1113-1119. 2002.; Pilla C, et al. Effect of leucine administration on creatine kinase activity in rat brain. *Metab Brain Dis.* 18(1):17-25. 2003.; Quigley JD, et al. Effects of spray-dried plasma in the diets of companion animals. Presented at the 2002 Pet Food Forum, Chicago, IL.; Quigley JD, et al. Milk replacers with or without animal plasma for dairy calves. *J Dairy Sci.* 79:1881-1884. 1996.; Russell LE. Effect of plasma source and processing method of growth performance of young pigs. *J Anim Sci.* 72(Suppl 1):156.; Russell LE. Blood and BSE: Reasons that blood products are safe. *Feed Management.* 52(3):25-28. 2001.; Sacks GS. Glutamine supplementation in catabolic patients. *Ann Pharmacother.* 33:348-354. 1999.; Sahlin K, et al. Tricarboxylic acid cycle intermediates in human muscle tissue during prolonged exercise. *Am J Physiol.* 259:C834-C841. 1990.; Stein TP, et al. Branched-chain amino acid supplementation during bed rest: effect on recovery. *J Appl Physiol.* 94(4):1345-1352. 2002.; Torrallardona D, et al. Effect of spray dried animal plasma and colistin on performance, structure of small intestine and ileal and caecal microbiology of weaning pigs experimentally infected with *Escherichia coli* K99. *Anim Feed Sci Tech.* 2002.; Touchette KJ, et al. Effect of spray-dried plasma and lipopolysaccharide exposure on weaned pigs: I. Effects on the immune axis of weaned pigs. *J Anim Sci.* 80:494-501. 2002.; Van der Peet-Schering CMC, et al. The effect of spray-dried porcine in diets with different protein sources on the performance of weaning piglets. Report P1.137. *Praktijkonderzoek varkenshouderij. Rosmalen.* The Netherlands. 1995.; Van der Peet-Schering CMC, et al. Spray dried porcine and bovine plasma and animal and plant protein in diets of weaned piglets. Report P1.185. *Praktijkonderzoek varkenshouderij. Rosmalen.* The Netherlands. 1997.; Van Dijk A, et al. Growth performance of weaning pigs fed spray-dried animal plasma: a review. *Livest Prod Sci.* 68:263-274. 2001.; Vierck JL, et al. The effects of ergogenic compounds on myogenic satellite cells. *Med Sci Sports Exerc.* 35(5):769-776. 2003.; Van Dijk A, et al. Small intestinal morphology in weaned piglets fed a diet containing spray porcine plasma. *Res Vet Sci.* 71:17-22. 2001.; Wagenmakers AJ, et al. Carbohydrate supplementation, glycogen depletion, and amino acid metabolism during exercise. *Am J Physiol.* 260:E883. 1991.; Wang XY, et al. The effects of the formula of amino acids enriched BCAA on nutritional support in traumatic patients. *World J Gastroenterol.* 9(3):599-602. 2003.; Windmuller HG, et al. Identification of ketone bodies and glutamine as the major respiratory fuels in vivo for postabsorptive rat small intestine. *J Biol Chem.* 253:69-76. 1978.; Zhi-Qian HE, et al. Body weight reduction in adolescents by a combination of measures including using L-carnitine. *Acta Nutrimenta Sinica.* 19:2. 1997.